

From: [Findley, Anthony \[DEP\]](#)
To: [EHRlich, CAROLINE](#); [Stephen Kessel](#)
Cc: [Sontag, John](#); [Ferreira, Steve](#); [Mark Fisher](#); [Kellmann, Brian E \(Brian\)](#); [Schnee, Daniel J](#); [D. J. \(Donald\) Camerson - Bressler, Amery & Ross, PC \(DJCamerson@bressler.com\)](#); [Carolyn Spinapolice](#); [Everett, Adolph](#); [pfontaine@cozen.com](#)
Subject: RE: Hatco Impacts on Former Nuodex Site (PI No. G000001659)
Date: Monday, April 04, 2022 9:00:33 AM

Caroline and Steve:

Thanks for sharing. Steve, I will provide you with all info or data or correspondence we have or receive from Weston on behalf of the HATCO property remediation. Based on the attached EPA letter it appears that EPA is holding HATCO responsible for the [PCB] remediation on the Former Nuodex site and is requiring Weston to delineate and take responsible of the [PCB] remediation. Steve, let me know if you need to meet on this issue. Also, I miss the GW meeting you had with Mary Ann and I also need to circle back with you on it.

Tony Findley

From: EHRlich, CAROLINE <Caroline.Ehrlich@twp.woodbridge.nj.us>
Sent: Saturday, April 2, 2022 1:11 PM
To: Stephen Kessel <SKessel@brwnald.com>
Cc: Findley, Anthony [DEP] <Anthony.Findley@dep.nj.gov>; Sontag, John <John.Sontag@westonsolutions.com>; Steve Ferreira (Ferreira.Steve@epa.gov) <Ferreira.Steve@epa.gov>; Mark Fisher <MFisher@elminc.com>; Kellmann, Brian E (Brian) <Brian_Kellmann@kindermorgan.com>; Schnee, Daniel J <daniel_schnee@kindermorgan.com>; D. J. (Donald) Camerson - Bressler, Amery & Ross, PC (DJCamerson@bressler.com) <djcamerson@bressler.com>; Carolyn Spinapolice <CSpinapolice@brwnald.com>; Everett.adolph@epa.gov; pfontaine@cozen.com
Subject: [EXTERNAL] Re: Hatco Impacts on Former Nuodex Site (PI No. G000001659)

Thanks for sharing.

Caroline Ehrlich
Chief of Staff, Woodbridge Township
Executive Director
Woodbridge Township Redevelopment Agency
1 Main Street
Woodbridge, NJ 07095
732-602-6015
Caroline.ehrlich@twp.woodbridge.nj.us

On Apr 1, 2022, at 4:17 PM, Stephen Kessel <SKessel@brwnald.com> wrote:

Tony,

Attached for your review is a letter regarding the Hatco impacts on the Former Nuodex Site (i.e., EPEC Polymers Site).

Please let me know if you have any questions or want to discuss.

Thanks.

Steve

Stephen A. Kessel, P.E., LSRP

Vice President/Chief Engineer

Brown and Caldwell | Ramsey, NJ

SKessel@brwnald.com

T 201.574.4720 | C 551.427.7654

Get water industry news delivered to your desktop, free, from BCWaterNews.com [Sign up now!](#)
Professional Registration in Specific States-

PRIVACY NOTICE:

This e-mail, including attachments, may include privileged, confidential and/or proprietary information, and may be used only by the person or entity to which it is addressed. If the reader of this e-mail is not the intended recipient or his or her authorized agent, the reader is hereby notified that any dissemination, distribution or copying of this e-mail is prohibited. If you have received this e-mail in error, please notify the sender by replying to this message and delete this e-mail immediately.

WARNING:

Email received by or sent to Township officials is subject to the Open Public Records Act [OPRA]. This means that absent some specific privilege, all such communications are considered a public record and are subject to publication and/or dissemination to the public upon request.